Appendix 23
Minimum Data Set (MDS) Full Assessment Form

Resident _____ Appendix B _____ Numeric Identifier _____ HCFA's RAI Version 2.0 Manual

MINIMUM DATA SET (MDS) — *VERSION 2.0*
FOR NURSING HOME RESIDENT ASSESSMENT AND CARE SCREENING
FULL ASSESSMENT FORM

(Status in last 7 days, unless other time frame indicated)

SECTION A. IDENTIFICATION AND BACKGROUND INFORMATION

1. RESIDENT NAME
a. (First) b. (Middle Initial) c. (Last) d. (Jr/Sr)

2. ROOM NUMBER

3. ASSESSMENT REFERENCE DATE
a. *Last day of MDS observation period*
Month — Day — Year
b. Original (0) or corrected copy of form (enter number of correction)

4a. DATE OF REENTRY
Date of reentry from most recent temporary discharge to a hospital in last 90 days (or since last assessment or admission if less than 90 days)
Month — Day — Year

5. MARITAL STATUS
1. Never married 3. Widowed 5. Divorced
2. Married 4. Separated

6. MEDICAL RECORD NO.

7. CURRENT PAYMENT SOURCES FOR N.H. STAY
(*Billing Office to indicate; check all that apply in last 30 days*)

Medicaid per diem	a.	VA per diem	f.
Medicare per diem	b.	Self or family pays for full per diem	g.
Medicare ancillary part A	c.	Medicaid resident liability or Medicare co-payment	h.
Medicare ancillary part B	d.	Private insurance per diem (including co-payment)	i.
CHAMPUS per diem	e.	Other per diem	j.

8. REASONS FOR ASSESSMENT
(*Note—If this is a discharge or reentry assessment, only a limited subset of MDS items need be completed*)

a. Primary reason for assessment
1. Admission assessment (required by day 14)
2. Annual assessment
3. Significant change in status assessment
4. Significant correction of prior assessment
5. Quarterly review assessment
6. Discharged—return not anticipated
7. Discharged—return anticipated
8. Discharged prior to completing initial assessment
9. Reentry
0. *NONE OF ABOVE*

b. *Special codes for use with supplemental assessment types in Case Mix demonstration states or other states where required*
1. *5 day assessment*
2. *30 day assessment*
3. *60 day assessment*
4. *Quarterly assessment using full MDS form*
5. *Readmission/return assessment*
6. *Other state required assessment*

9. RESPONSIBILITY/ LEGAL GUARDIAN
(*Check all that apply*)

Legal guardian	a.	Durable power attorney/financial	d.
Other legal oversight	b.	Family member responsible	e.
Durable power of attorney/health care	c.	Patient responsible for self	f.
		NONE OF ABOVE	g.

10. ADVANCED DIRECTIVES
(*For those items with supporting documentation in the medical record, check all that apply*)

Living will	a.	Feeding restrictions	f.
Do not resuscitate	b.	Medication restrictions	g.
Do not hospitalize	c.	Other treatment restrictions	h.
Organ donation	d.		
Autopsy request	e.	*NONE OF ABOVE*	i.

SECTION B. COGNITIVE PATTERNS

1. COMATOSE
(*Persistent vegetative state/no discernible consciousness*)
0. No 1. Yes (If yes, skip to Section G)

2. MEMORY
(*Recall of what was learned or known*)
a. Short-term memory OK—seems/appears to recall after 5 minutes
0. Memory OK 1. Memory problem
b. Long-term memory OK—seems/appears to recall long past
0. Memory OK 1. Memory problem

3. MEMORY/ RECALL ABILITY
(*Check all that resident was normally able to recall during last 7 days*)

Current season	a.	That he/she is in a nursing home	d.
Location of own room	b.		
Staff names/faces	c.	*NONE OF ABOVE* are recalled	e.

4. COGNITIVE SKILLS FOR DAILY DECISION-MAKING
(*Made decisions regarding tasks of daily life*)
0. *INDEPENDENT*—decisions consistent/reasonable
1. *MODIFIED INDEPENDENCE*—some difficulty in new situations only
2. *MODERATELY IMPAIRED*—decisions poor; cues/supervision required
3. *SEVERELY IMPAIRED*—never/rarely made decisions

5. INDICATORS OF DELIRIUM—PERIODIC DISORDERED THINKING/ AWARENESS
(*Code for behavior in the last 7 days.*) (*Note: Accurate assessment requires conversations with staff and family who have direct knowledge of resident's behavior over this time*).
0. Behavior not present
1. Behavior present, not of recent onset
2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening)

a. EASILY DISTRACTED—(e.g., difficulty paying attention; gets sidetracked)
b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS—(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day)
c. EPISODES OF DISORGANIZED SPEECH—(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought)
d. PERIODS OF RESTLESSNESS—(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out)
e. PERIODS OF LETHARGY—(e.g., sluggishness; staring into space; difficult to arouse; little body movement)
f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY—(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)

6. CHANGE IN COGNITIVE STATUS
Resident's cognitive status, skills, or abilities have changed as compared to status of 90 days ago (or since last assessment if less than 90 days)
0. No change 1. Improved 2. Deteriorated

SECTION C. COMMUNICATION/HEARING PATTERNS

1. HEARING
(*With hearing appliance, if used*)
0. *HEARS ADEQUATELY*—normal talk, TV, phone
1. *MINIMAL DIFFICULTY* when not in quiet setting
2. *HEARS IN SPECIAL SITUATIONS ONLY*—speaker has to adjust tonal quality and speak distinctly
3. *HIGHLY IMPAIRED*/absence of useful hearing

2. COMMUNICATION DEVICES/ TECHNIQUES
(*Check all that apply during last 7 days*)

Hearing aid, present and used	a.
Hearing aid, present and not used regularly	b.
Other receptive comm. techniques used (e.g., lip reading)	c.
NONE OF ABOVE	d.

3. MODES OF EXPRESSION
(*Check all used by resident to make needs known*)

Speech	a.	Signs/gestures/sounds	d.
Writing messages to express or clarify needs	b.	Communication board	e.
American sign language or Braille	c.	Other	f.
		NONE OF ABOVE	g.

4. MAKING SELF UNDERSTOOD
(*Expressing information content—however able*)
0. *UNDERSTOOD*
1. *USUALLY UNDERSTOOD*—difficulty finding words or finishing thoughts
2. *SOMETIMES UNDERSTOOD*—ability is limited to making concrete requests
3. *RARELY/NEVER UNDERSTOOD*

5. SPEECH CLARITY
(*Code for speech in the last 7 days*)
0. *CLEAR SPEECH*—distinct, intelligible words
1. *UNCLEAR SPEECH*—slurred, mumbled words
2. *NO SPEECH*—absence of spoken words

6. ABILITY TO UNDERSTAND OTHERS
(*Understanding verbal information content—however able*)
0. *UNDERSTANDS*
1. *USUALLY UNDERSTANDS*—may miss some part/intent of message
2. *SOMETIMES UNDERSTANDS*—responds adequately to simple, direct communication
3. *RARELY/NEVER UNDERSTANDS*

7. CHANGE IN COMMUNICATION/ HEARING
Resident's ability to express, understand, or hear information has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)
0. No change 1. Improved 2. Deteriorated

[ ] = When box blank, must enter number or letter
[a.] = When letter in box, check if condition applies

SECTION D. VISION PATTERNS

1.	VISION	(*Ability to see in adequate light and with glasses if used*) 0. *ADEQUATE*—sees fine detail, including regular print in newspapers/books 1. *IMPAIRED*—sees large print, but not regular print in newspapers/books 2. *MODERATELY IMPAIRED*—limited vision; not able to see newspaper headlines, but can identify objects 3. *HIGHLY IMPAIRED*—object identification in question, but eyes appear to follow objects 4. *SEVERELY IMPAIRED*—no vision or sees only light, colors, or shapes; eyes do not appear to follow objects
2.	VISUAL LIMITATIONS/ DIFFICULTIES	Side vision problems—decreased peripheral vision (e.g., leaves food on one side of tray, difficulty traveling, bumps into people and objects, misjudges placement of chair when seating self) a. Experiences any of following: sees halos or rings around lights; sees flashes of light; sees "curtains" over eyes b. *NONE OF ABOVE* c.
3.	VISUAL APPLIANCES	Glasses; contact lenses; magnifying glass 0. No 1. Yes

SECTION E. MOOD AND BEHAVIOR PATTERNS

1.	INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD	(*Code for indicators observed in last 30 days, irrespective of the assumed cause*) 0. Indicator not exhibited in last 30 days 1. Indicator of this type exhibited up to five days a week 2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)
		VERBAL EXPRESSIONS OF DISTRESS a. Resident made negative statements—e.g., "*Nothing matters; Would rather be dead; What's the use; Regrets having lived so long; Let me die*" b. Repetitive questions—e.g., "*Where do I go; What do I do?*" c. Repetitive verbalizations—e.g., calling out for help, ("*God help me*") d. Persistent anger with self or others—e.g., easily annoyed, anger at placement in nursing home; anger at care received e. Self deprecation—e.g., "*I am nothing; I am of no use to anyone*" f. Expressions of what appear to be unrealistic fears—e.g., fear of being abandoned, left alone, being with others g. Recurrent statements that something terrible is about to happen—e.g., believes he or she is about to die, have a heart attack
		h. Repetitive health complaints—e.g., persistently seeks medical attention, obsessive concern with body functions i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationship issues SLEEP-CYCLE ISSUES j. Unpleasant mood in morning k. Insomnia/change in usual sleep pattern SAD, APATHETIC, ANXIOUS APPEARANCE l. Sad, pained, worried facial expressions—e.g., furrowed brows m. Crying, tearfulness n. Repetitive physical movements—e.g., pacing, hand wringing, restlessness, fidgeting, picking LOSS OF INTEREST o. Withdrawal from activities of interest—e.g., no interest in long standing activities or being with family/friends p. Reduced social interaction
2.	MOOD PERSISTENCE	One or more indicators of depressed, sad or anxious mood were not easily altered by attempts to "cheer up", console, or reassure the resident over last 7 days 0. No mood indicators 1. Indicators present, easily altered 2. Indicators present, not easily altered
3.	CHANGE IN MOOD	Resident's mood status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated
4.	BEHAVIORAL SYMPTOMS	(A) *Behavioral symptom frequency in last 7 days* 0. Behavior not exhibited in last 7 days 1. Behavior of this type occurred 1 to 3 days in last 7 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily (B) *Behavioral symptom alterability in last 7 days* 0. Behavior not present OR behavior was easily altered 1. Behavior was not easily altered

	(A)	(B)
a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)		
b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)		
c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)		
d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings)		
e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)		

5.	CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated

SECTION F. PSYCHOSOCIAL WELL-BEING

1.	SENSE OF INITIATIVE/ INVOLVEMENT	At ease interacting with others	a.
		At ease doing planned or structured activities	b.
		At ease doing self-initiated activities	c.
		Establishes own goals	d.
		Pursues involvement in life of facility (e.g., makes/keeps friends; involved in group activities; responds positively to new activities; assists at religious services)	e.
		Accepts invitations into most group activities	f.
		NONE OF ABOVE	g.
2.	UNSETTLED RELATIONSHIPS	Covert/open conflict with or repeated criticism of staff	a.
		Unhappy with roommate	b.
		Unhappy with residents other than roommate	c.
		Openly expresses conflict/anger with family/friends	d.
		Absence of personal contact with family/friends	e.
		Recent loss of close family member/friend	f.
		Does not adjust easily to change in routines	g.
		NONE OF ABOVE	h.
3.	PAST ROLES	Strong identification with past roles and life status	a.
		Expresses sadness/anger/empty feeling over lost roles/status	b.
		Resident perceives that daily routine (customary routine, activities) is very different from prior pattern in the community	c.
		NONE OF ABOVE	d.

SECTION G. PHYSICAL FUNCTIONING AND STRUCTURAL PROBLEMS

1. (A) ADL SELF-PERFORMANCE—(*Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days—Not including setup*)
   0. *INDEPENDENT*—No help or oversight —OR— Help/oversight provided only 1 or 2 times during last 7 days
   1. SUPERVISION—Oversight, encouragement or cueing provided 3 or more times during last7 days —OR— Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days
   2. *LIMITED ASSISTANCE*—Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times —OR—More help provided only 1 or 2 times during last 7 days
   3. *EXTENSIVE ASSISTANCE*—While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times:
      — Weight-bearing support
      — Full staff performance during part (but not all) of last 7 days
   4. *TOTAL DEPENDENCE*—Full staff performance of activity during entire 7 days
   8. *ACTIVITY DID NOT OCCUR* during entire 7 days

   (B) ADL SUPPORT PROVIDED—(*Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification*)
   0. No setup or physical help from staff
   1. Setup help only
   2. One person physical assist
   3. Two+ persons physical assist
   8. ADL activity itself did not occur during entire 7 days

			(A) SELF-PERF	(B) SUPPORT
a.	BED MOBILITY	How resident moves to and from lying position, turns side to side, and positions body while in bed		
b.	TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)		
c.	WALK IN ROOM	How resident walks between locations in his/her room		
d.	WALK IN CORRIDOR	How resident walks in corridor on unit		
e.	LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair		
f.	LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair		
g.	DRESSING	How resident puts on, fastens, and takes off all items of street clothing, including donning/removing prosthesis		
h.	EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
i.	TOILET USE	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes		
j.	PERSONAL HYGIENE	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		

2.	BATHING	How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (EXCLUDE washing of back and hair.) *Code for most dependent in self-performance and support.* (A) BATHING SELF-PERFORMANCE codes appear below		(A) (B)
		0. Independent—No help provided		
		1. Supervision—Oversight help only		
		2. Physical help limited to transfer only		
		3. Physical help in part of bathing activity		
		4. Total dependence		
		8. Activity itself did not occur during entire 7 days		
		(Bathing support codes are as defined in item 1, code 8 above)		
3.	TEST FOR BALANCE (see training manual)	*(Code for ability during test in the last 7 days)*		
		0. Maintained position as required in test		
		1. Unsteady, but able to rebalance self without physical support		
		2. Partial physical support during test; or stands (sits) but does not follow directions for test		
		3. Not able to attempt test without physical help		
		a. Balance while standing		
		b. Balance while sitting—position, trunk control		
4.	FUNCTIONAL LIMITATION IN RANGE OF MOTION (see training manual)	*(Code for limitations during last 7 days that interfered with daily functions or placed resident at risk of injury)*		
		(A) *RANGE OF MOTION* 0. No limitation 1. Limitation on one side 2. Limitation on both sides	(B) *VOLUNTARY MOVEMENT* 0. No loss 1. Partial loss 2. Full loss	(A) (B)
		a. Neck		
		b. Arm—including shoulder or elbow		
		c. Hand—including wrist or fingers		
		d. Leg—including hip or knee		
		e. Foot—including ankle or toes		
		f. Other limitation or loss		
5.	MODES OF LOCOMOTION	*(Check all that apply during last 7 days)*		
		Cane/walker/crutch	a.	Wheelchair primary mode of locomotion d.
		Wheeled self	b.	
		Other person wheeled	c.	*NONE OF ABOVE* e.
6.	MODES OF TRANSFER	*(Check all that apply during last 7 days)*		
		Bedfast all or most of time	a.	Lifted mechanically d.
		Bed rails used for bed mobility or transfer	b.	Transfer aid (e.g., slide board, trapeze, cane, walker, brace) e.
		Lifted manually	c.	*NONE OF ABOVE* f.
7.	TASK SEGMENTATION	Some or all of ADL activities were broken into subtasks during last 7 days so that resident could perform them 0. No 1. Yes		
8.	ADL FUNCTIONAL REHABILITATION POTENTIAL	Resident believes he/she is capable of increased independence in at least some ADLs		a.
		Direct care staff believe resident is capable of increased independence in at least some ADLs		b.
		Resident able to perform tasks/activity but is very slow		c.
		Difference in ADL Self-Performance or ADL Support, comparing mornings to evenings		d.
		NONE OF ABOVE		e.
9.	CHANGE IN ADL FUNCTION	Resident's ADL self-performance status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated		

SECTION H. CONTINENCE IN LAST 14 DAYS

1.	CONTINENCE SELF-CONTROL CATEGORIES *(Code for resident's PERFORMANCE OVER ALL SHIFTS)*			
		0. *CONTINENT*—Complete control *(includes use of indwelling urinary catheter or ostomy device that does not leak urine or stool)*		
		1. *USUALLY CONTINENT*—BLADDER, incontinent episodes once a week or less; BOWEL, less than weekly		
		2. *OCCASIONALLY INCONTINENT*—BLADDER, 2 or more times a week but not daily; BOWEL, once a week		
		3. *FREQUENTLY INCONTINENT*—BLADDER, tended to be incontinent daily, but some control present (e.g., on day shift); BOWEL, 2-3 times a week		
		4. *INCONTINENT*—Had inadequate control BLADDER, multiple daily episodes; BOWEL, all (or almost all) of the time		
a.	BOWEL CONTINENCE	Control of bowel movement, with appliance or bowel continence programs, if employed		
b.	BLADDER CONTINENCE	Control of urinary bladder function (if dribbles, volume insufficient to soak through underpants), with appliances (e.g., foley) or continence programs, if employed		
2.	BOWEL ELIMINATION PATTERN	Bowel elimination pattern regular—at least one movement every three days	a.	Diarrhea c.
				Fecal impaction d.
		Constipation	b.	*NONE OF ABOVE* e.

3.	APPLIANCES AND PROGRAMS	Any scheduled toileting plan	a.	Did not use toilet room/commode/urinal f.
		Bladder retraining program	b.	Pads/briefs used g.
		External (condom) catheter	c.	Enemas/irrigation h.
		Indwelling catheter	d.	Ostomy present i.
		Intermittent catheter	e.	*NONE OF ABOVE* j.
4.	CHANGE IN URINARY CONTINENCE	Resident's urinary continence has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated		

SECTION I. DISEASE DIAGNOSES

Check only those diseases that have a relationship to current ADL status, cognitive status, mood and behavior status, medical treatments, nursing monitoring, or risk of death. (Do not list inactive diagnoses)

1.	DISEASES	*(If none apply, CHECK the NONE OF ABOVE box)*		
		ENDOCRINE/METABOLIC/NUTRITIONAL		Hemiplegia/Hemiparesis v.
		Diabetes mellitus	a.	Multiple sclerosis w.
		Hyperthyroidism	b.	Paraplegia x.
		Hypothyroidism	c.	Parkinson's disease y.
		HEART/CIRCULATION		Quadriplegia z.
		Arteriosclerotic heart disease (ASHD)	d.	Seizure disorder aa.
		Cardiac dysrhythmias	e.	Transient ischemic attack (TIA) bb.
		Congestive heart failure	f.	Traumatic brain injury cc.
		Deep vein thrombosis	g.	PSYCHIATRIC/MOOD
		Hypertension	h.	Anxiety disorder dd.
		Hypotension	i.	Depression ee.
		Peripheral vascular disease	j.	Manic depression (bipolar disease) ff.
		Other cardiovascular disease	k.	Schizophrenia gg.
		MUSCULOSKELETAL		PULMONARY
		Arthritis	l.	Asthma hh.
		Hip fracture	m.	Emphysema/COPD ii.
		Missing limb (e.g., amputation)	n.	SENSORY
		Osteoporosis	o.	Cataracts jj.
		Pathological bone fracture	p.	Diabetic retinopathy kk.
		NEUROLOGICAL		Glaucoma ll.
		Alzheimer's disease	q.	Macular degeneration mm.
		Aphasia	r.	OTHER
		Cerebral palsy	s.	Allergies nn.
		Cerebrovascular accident (stroke)	t.	Anemia oo.
		Dementia other than Alzheimer's disease	u.	Cancer pp.
				Renal failure qq.
				NONE OF ABOVE rr.
2.	INFECTIONS	*(If none apply, CHECK the NONE OF ABOVE box)*		
		Antibiotic resistant infection (e.g., Methicillin resistant staph)	a.	Septicemia g.
		Clostridium difficile (c. diff.)	b.	Sexually transmitted diseases h.
		Conjunctivitis	c.	Tuberculosis i.
		HIV infection	d.	Urinary tract infection in last 30 days j.
		Pneumonia	e.	Viral hepatitis k.
		Respiratory infection	f.	Wound infection l.
				NONE OF ABOVE m.
3.	OTHER CURRENT OR MORE DETAILED DIAGNOSES AND ICD-9 CODES	a. _____		
		b. _____		
		c. _____		
		d. _____		
		e. _____		

SECTION J. HEALTH CONDITIONS

1.	PROBLEM CONDITIONS	*(Check all problems present in last 7 days unless other time frame is indicated)*		
		INDICATORS OF FLUID STATUS		Dizziness/Vertigo f.
		Weight gain or loss of 3 or more pounds within a 7 day period	a.	Edema g.
		Inability to lie flat due to shortness of breath	b.	Fever h.
		Dehydrated; output exceeds input	c.	Hallucinations i.
		Insufficient fluid; did NOT consume all/almost all liquids provided during last 3 days	d.	Internal bleeding j.
		OTHER		Recurrent lung aspirations in last 90 days k.
		Delusions	e.	Shortness of breath l.
				Syncope (fainting) m.
				Unsteady gait n.
				Vomiting o.
				NONE OF ABOVE p.

Resident _____ Numeric Identifier _____

2.	PAIN SYMPTOMS	*(Code the highest level of pain present in the last 7 days)*	
		a. FREQUENCY with which resident complains or shows evidence of pain 0. No pain (*skip to J4*) 1. Pain less than daily 2. Pain daily	b. INTENSITY of pain 1. Mild pain 2. Moderate pain 3. Times when pain is horrible or excruciating
3.	PAIN SITE	*(If pain present, check all sites that apply in last 7 days)*	
		Back pain a. Bone pain b. Chest pain while doing usual activities c. Headache d. Hip pain e.	Incisional pain f. Joint pain (other than hip) g. Soft tissue pain (e.g., lesion, muscle) h. Stomach pain i. Other j.
4.	ACCIDENTS	*(Check all that apply)*	
		Fell in past 30 days a. Fell in past 31-180 days b.	Hip fracture in last 180 days c. Other fracture in last 180 days d. *NONE OF ABOVE* e.
5.	STABILITY OF CONDITIONS	Conditions/diseases make resident's cognitive, ADL, mood or behavior patterns unstable—(fluctuating, precarious, or deteriorating) a. Resident experiencing an acute episode or a flare-up of a recurrent or chronic problem b. End-stage disease, 6 or fewer months to live c. *NONE OF ABOVE* d.	

SECTION K. ORAL/NUTRITIONAL STATUS

1.	ORAL PROBLEMS	Chewing problem a. Swallowing problem b. Mouth pain c. *NONE OF ABOVE* d.	
2.	HEIGHT AND WEIGHT	*Record (a.) height in inches and (b.) weight in pounds. Base weight on most recent measure in last 30 days; measure weight consistently in accord with standard facility practice—e.g., in a.m. after voiding, before meal, with shoes off, and in nightclothes* a. HT (in.) ___ b. WT (lb.) ___	
3.	WEIGHT CHANGE	a. Weight loss—5 % or more in last 30 days; or 10 % or more in last 180 days 0. No 1. Yes	
		b. Weight gain—5 % or more in last 30 days; or 10 % or more in last 180 days 0. No 1. Yes	
4.	NUTRITIONAL PROBLEMS	Complains about the taste of many foods a. Regular or repetitive complaints of hunger b.	Leaves 25% or more of food uneaten at most meals c. *NONE OF ABOVE* d.
5.	NUTRITIONAL APPROACHES	*(Check all that apply in last 7 days)*	
		Parenteral/IV a. Feeding tube b. Mechanically altered diet c. Syringe (oral feeding) d. Therapeutic diet e.	Dietary supplement between meals f. Plate guard, stabilized built-up utensil, etc. g. On a planned weight change program h. *NONE OF ABOVE* i.
6.	PARENTERAL OR ENTERAL INTAKE	*(Skip to Section L if neither 5a nor 5b is checked)*	
		a. Code the proportion of total calories the resident received through parenteral or tube feedings in the last 7 days 0. None 3. 51% to 75% 1. 1% to 25% 4. 76% to 100% 2. 26% to 50%	
		b. Code the average fluid intake per day by IV or tube in last 7 days 0. None 3. 1001 to 1500 cc/day 1. 1 to 500 cc/day 4. 1501 to 2000 cc/day 2. 501 to 1000 cc/day 5. 2001 or more cc/day	

SECTION L. ORAL/DENTAL STATUS

1.	ORAL STATUS AND DISEASE PREVENTION	Debris (soft, easily movable substances) present in mouth prior to going to bed at night a. Has dentures or removable bridge b. Some/all natural teeth lost—does not have or does not use dentures (or partial plates) c. Broken, loose, or carious teeth d. Inflamed gums (gingiva); swollen or bleeding gums; oral abscesses; ulcers or rashes e. Daily cleaning of teeth/dentures or daily mouth care—by resident or staff f. *NONE OF ABOVE* g.	

SECTION M. SKIN CONDITION

			Number at Stage
1.	ULCERS (Due to any cause)	*(Record the number of ulcers at each ulcer stage—regardless of cause. If none present at a stage, record "0" (zero). Code all that apply during last 7 days. Code 9 = 9 or more.) [Requires full body exam.]*	
		a. Stage 1. A persistent area of skin redness (without a break in the skin) that does not disappear when pressure is relieved.	
		b. Stage 2. A partial thickness loss of skin layers that presents clinically as an abrasion, blister, or shallow crater.	
		c. Stage 3. A full thickness of skin is lost, exposing the subcutaneous tissues - presents as a deep crater with or without undermining adjacent tissue.	
		d. Stage 4. A full thickness of skin and subcutaneous tissue is lost, exposing muscle or bone.	
2.	TYPE OF ULCER	*(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1—i.e., 0=none; stages 1, 2, 3, 4)*	
		a. Pressure ulcer—any lesion caused by pressure resulting in damage of underlying tissue	
		b. Stasis ulcer—open lesion caused by poor circulation in the lower extremities	
3.	HISTORY OF RESOLVED ULCERS	Resident had an ulcer that was resolved or cured in LAST 90 DAYS 0. No 1. Yes	
4.	OTHER SKIN PROBLEMS OR LESIONS PRESENT	*(Check all that apply during last 7 days)*	
		Abrasions, bruises a. Burns (second or third degree) b. Open lesions other than ulcers, rashes, cuts (e.g., cancer lesions) c. Rashes—e.g., intertrigo, eczema, drug rash, heat rash, herpes zoster d. Skin desensitized to pain or pressure e. Skin tears or cuts (other than surgery) f. Surgical wounds g. *NONE OF ABOVE* h.	
5.	SKIN TREATMENTS	*(Check all that apply during last 7 days)*	
		Pressure relieving device(s) for chair a. Pressure relieving device(s) for bed b. Turning/repositioning program c. Nutrition or hydration intervention to manage skin problems d. Ulcer care e. Surgical wound care f. Application of dressings (with or without topical medications) other than to feet g. Application of ointments/medications (other than to feet) h. Other preventative or protective skin care (other than to feet) i. *NONE OF ABOVE* j.	
6.	FOOT PROBLEMS AND CARE	*(Check all that apply during last 7 days)*	
		Resident has one or more foot problems—e.g., corns, callouses, bunions, hammer toes, overlapping toes, pain, structural problems a. Infection of the foot—e.g., cellulitis, purulent drainage b. Open lesions on the foot c. Nails/calluses trimmed during last 90 days d. Received preventative or protective foot care (e.g., used special shoes, inserts, pads, toe separators) e. Application of dressings (with or without topical medications) f. *NONE OF ABOVE* g.	

SECTION N. ACTIVITY PURSUIT PATTERNS

1.	TIME AWAKE	*(Check appropriate time periods over last 7 days)* Resident awake all or most of time (i.e., naps no more than one hour per time period) in the:	
		Morning a. Afternoon b.	Evening c. *NONE OF ABOVE* d.
(If resident is comatose, skip to Section O)			
2.	AVERAGE TIME INVOLVED IN ACTIVITIES	(When awake and not receiving treatments or ADL care) 0. Most—more than 2/3 of time 2. Little—less than 1/3 of time 1. Some—from 1/3 to 2/3 of time 3. None	
3.	PREFERRED ACTIVITY SETTINGS	*(Check all settings in which activities are preferred)*	
		Own room a. Day/activity room b. Inside NH/off unit c.	Outside facility d. *NONE OF ABOVE* e.
4.	GENERAL ACTIVITY PREFERENCES (adapted to resident's current abilities)	*(Check all PREFERENCES whether or not activity is currently available to resident)*	
		Cards/other games a. Crafts/arts b. Exercise/sports c. Music d. Reading/writing e. Spiritual/religious activities f.	Trips/shopping g. Walking/wheeling outdoors h. Watching TV i. Gardening or plants j. Talking or conversing k. Helping others l. *NONE OF ABOVE* m.

5.	PREFERS CHANGE IN DAILY ROUTINE	*Code for resident preferences in daily routines* 0. No change 1. Slight change 2. Major change a. Type of activities in which resident is currently involved b. Extent of resident involvement in activities

SECTION O. MEDICATIONS

1.	NUMBER OF MEDICATIONS	*(Record the number of different medications used in the last 7 days; enter "0" if none used)*
2.	NEW MEDICATIONS	*(Resident currently receiving medications that were initiated during the last 90 days)* 0. No 1. Yes
3.	INJECTIONS	*(Record the number of DAYS injections of any type received during the last 7 days; enter "0" if none used)*
4.	DAYS RECEIVED THE FOLLOWING MEDICATION	*(Record the number of DAYS during last 7 days: enter "0" if not used. Note—enter "1" for long-acting meds used less than weekly)* a. Antipsychotic b. Antianxiety c. Antidepressant d. Hypnotic e. Diuretic

SECTION P. SPECIAL TREATMENTS AND PROCEDURES

1.	SPECIAL TREATMENTS, PROCEDURES, AND PROGRAMS	a. SPECIAL CARE—*Check treatments or programs received during the last 14 days*

TREATMENTS			PROGRAMS		
Chemotherapy	a.		Ventilator or respirator	l.	
Dialysis	b.		Alcohol/drug treatment program	m.	
IV medication	c.		Alzheimer's/dementia special care unit	n.	
Intake/output	d.		Hospice care	o.	
Monitoring acute medical condition	e.		Pediatric unit	p.	
Ostomy care	f.		Respite care	q.	
Oxygen therapy	g.		Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)	r.	
Radiation	h.		NONE OF ABOVE	s.	
Suctioning	i.				
Tracheostomy care	j.				
Transfusions	k.				

b. THERAPIES - *Record the number of days and total minutes each of the following therapies was administered (for at least 15 minutes a day) in the last 7 calendar days (Enter 0 if none or less than 15 min. daily)*
[Note—count only post admission therapies]
(A) = # of days administered for 15 minutes or more
(B) = total # of minutes provided in last 7 days

	DAYS (A)	MIN (B)
a. Speech - language pathology and audiology services		
b. Occupational therapy		
c. Physical therapy		
d. Respiratory therapy		
e. Psychological therapy (by any licensed mental health professional)		

2.	INTERVENTION PROGRAMS FOR MOOD, BEHAVIOR, COGNITIVE LOSS	(Check all interventions or strategies used in last 7 days—no matter where received) Special behavior symptom evaluation program a. Evaluation by a licensed mental health specialist in last 90 days b. Group therapy c. Resident-specific deliberate changes in the environment to address mood/behavior patterns—e.g., providing bureau in which to rummage d. Reorientation—e.g., cueing e. NONE OF ABOVE f.
3.	NURSING REHABILITATION/ RESTORATIVE CARE	*Record the NUMBER OF DAYS each of the following rehabilitation or restorative techniques or practices was provided to the resident for more than or equal to 15 minutes per day in the last 7 days (Enter 0 if none or less than 15 min. daily.)*

a. Range of motion (passive)		f. Walking	
b. Range of motion (active)		g. Dressing or grooming	
c. Splint or brace assistance		h. Eating or swallowing	
TRAINING AND SKILL PRACTICE IN:		i. Amputation/prosthesis care	
d. Bed mobility		j. Communication	
e. Transfer		k. Other	

4.	DEVICES AND RESTRAINTS	*(Use the following codes for last 7 days:)* 0. Not used 1. Used less than daily 2. Used daily Bed rails a. — Full bed rails on all open sides of bed b. — Other types of side rails used (e.g., half rail, one side) c. Trunk restraint d. Limb restraint e. Chair prevents rising
5.	HOSPITAL STAY(S)	Record number of times resident was admitted to hospital with an overnight stay in last 90 days (or since last assessment if less than 90 days). *(Enter 0 if no hospital admissions)*
6.	EMERGENCY ROOM (ER) VISIT(S)	Record number of times resident visited ER without an overnight stay in last 90 days (or since last assessment if less than 90 days). *(Enter 0 if no ER visits)*
7.	PHYSICIAN VISITS	In the LAST 14 DAYS (or since admission if less than 14 days in facility) how many days has the physician (or authorized assistant or practitioner) examined the resident? *(Enter 0 if none)*
8.	PHYSICIAN ORDERS	In the LAST 14 DAYS (or since admission if less than 14 days in facility) how many days has the physician (or authorized assistant or practitioner) changed the resident's orders? *Do not include order renewals without change. (Enter 0 if none)*
9.	ABNORMAL LAB VALUES	Has the resident had any abnormal lab values during the last 90 days (or since admission)? 0. No 1. Yes

SECTION Q. DISCHARGE POTENTIAL AND OVERALL STATUS

1.	DISCHARGE POTENTIAL	a. Resident expresses/indicates preference to return to the community 0. No 1. Yes
		b. Resident has a support person who is positive towards discharge 0. No 1. Yes
		c. Stay projected to be of a short duration— discharge projected within 90 days (do not include expected discharge due to death) 0. No 2. Within 31-90 days 1. Within 30 days 3. Discharge status uncertain
2.	OVERALL CHANGE IN CARE NEEDS	Resident's overall self sufficiency has changed significantly as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved—receives fewer supports, needs less restrictive level of care 2. Deteriorated—receives more support

SECTION R. ASSESSMENT INFORMATION

1.	PARTICIPATION IN ASSESSMENT	a. Resident: 0. No 1. Yes b. Family: 0. No 1. Yes 2. No family c. Significant other: 0. No 1. Yes 2. None

2. SIGNATURES OF PERSONS COMPLETING THE ASSESSMENT:

a. Signature of RN Assessment Coordinator (sign on above line)

b. Date RN Assessment Coordinator signed as complete ___ — ___ — ____
Month Day Year

c. Other Signatures	Title	Sections	Date
d.			Date
e.			Date
f.			Date
g.			Date
h.			Date

SECTION S STATE SUPPLEMENTAL ITEMS

1.	RESIDENCE PRIOR TO ADMISSION	Residence prior to admission: (a) State (b) If WI, indicate county	
2.	LOCATION OF SPOUSE	If the resident has a spouse, code the spouse's residence as one of the following: 1. In a nursing home (same or other) 2. In a dwelling the resident and/or spouse owns (i.e., homestead property) 3. Other/unknown living arrangement. If the resident is not married (i.e., never married, widowed, separated, divorced), code the following: 4. All other.	
3.	LEVEL OF CARE	For each resident, code a level of care. (This may be a provisional judgment for initial admissions, private pay residents or residents with a pending determination for a change in level of care). 01. ISN 07. DD 1A 02. SNF 08. DD 1B 03. ICF-1 09. DD 2 04. ICF-2 10. DD 3 05. ICF-3 11. Traumatic Brain Injury 06. ICF-4 12. Ventilator Dependent	